

The Lawn Lights Series


- The Light body is process by Aluminares-Alloy Cast or sand-cast, strong and corrosion resistant, good Heat dispersion.
- The reflector is made by the high-grade aluminum processed by anodic treatment, low light diffuser.
- Protective is made of high-tension industrial plastic, high-grade light transmission, high-grade protection.
- Electrosatatic power coating treatment in surface, good erosion resistant, elegant looking.
- Professional-designed optical system make the excellent light efficiency, high output light effect
- All of the product is achieve the "3C" certification which is issued by China Quality Authentication, the Lighting fixture is in accord with the national standard GB7000.1/GB7000.7 safe and credible.
- European Style, Simple, magnificent, the various product type, suitable to use in the different occasion.



NG005-1 NG005-2



fixing hole




Substructure




NG005

- **Applications:**
Lawn, Plaza, Park and Residence Zone, etc.
 - **Material:**
Aluminum housing with anticorrosive electrostatic painting
UV-stop carbon -fiber shade
 - **Characteristics:**
4-edge designed body
With luminescence in 4 directions, good lighting effect at night
Lamp: E27 energy- saving lamp
- Quantity/CTN(pcs): 1
CTN Dimension: 935x285x290mm/645x285x290mm



fixing hole



Substructure



NG008


- **Applications:**
Garden path, lawn, park and residence zone of pleasant ambience, etc.
 - **Material:**
Aluminum housing with anticorrosive electrostatic printing
Carbon-fiber shade
 - **Characteristics:**
Cone-shape design, slim and elegant
Soft light, glare-proof, UV-stop
Strengthened silicon seal, weatherproof
Lamp: E27 energy-saving lamp
- Quantity/CTN(pcs): 8
CTN Dimension: 720x415x225mm



NG007-1





NG007-2



NG007

- **Applications:**
Garden Path, Lawn, Park and Residence Zone of Pleasant Ambience, etc
- **Material:**
Aluminum housing with anticorrosive electrostatic painting
PMMA shade
Aluminium reflector
- **Characteristics:**
Streamline design, slim and elegant
Soft light, glare-proof
Grating reflector, giving butterfly-shape photometric curve
Strengthened silicon seal, weatherproof
Lamp: E27 energy-saving lamp



Quantity/CTN(pcs): 2/4
CTN Dimension: 1065x375x200mm/590x375x375mm



NG009

- **Applications:**
Garden Path, Lawn, Park and Residence Zone of Pleasant Ambience, etc
- **Material:**
Aluminum housing with anticorrosive electrostatic painting
Carbon-fiber shade
- **Characteristics:**
Umbrella-shape design
Soft light, glare-proof, UV-stop
Strengthened silicon seal, weatherproof
Lamp: E27 energy-saving lamp



Quantity/CTN(pcs): 2
CTN Dimension: 645x595x310mm



NG601

- **Applications:**
Garden Path, Lawn, Residence Zone, Park, etc
- **Material:**
Aluminum housing, with anticorrosive electrostatic painting
- **Characteristics:**
Toughened glass, good transmission of light
Strengthened silicon seal, weatherproof
Lamp: E27 energy-saving lamp


Quantity/CTN(pcs): 1
CTN Dimension: 210x110x910mm



NG010

- **Applications:**
Street virescence zone, private garden and occasions demanding low Lighting
- **Material:**
Aluminum housing with anticorrosive electrostatic painting
PC shade
- **Characteristics:**
Soft light, glare-proof
Strengthened silicon seal, weatherproof
Lamp: E27 energy-saving lamp

Quantity/CTN(pcs): 6
CTN Dimension: 570x385x320mm






NG018

- **Applications:**
Street virescence zone, private garden and areas demanding low lighting
- **Material:**
Aluminum housing with anticorrosive electrostatic painting
- **Characteristics:**
Toughened glass, high-temperature durable and shock resistance
Strengthened silicon seal, weatherproof
Lamp: PAR30 50W-70W/E27 energy-saving lamp



Quantity/CTN(pcs): 2
CTN Dimension: 420x240x295mm



NG012




- **Applications:**
Street virescence zone, private garden and areas demanding low lighting
- **Material:**
Aluminum housing with anticorrosive electrostatic painting
Toughed glass shade
- **Characteristics:**
4-direction luminescence, outlining space boundaries, good light-transmission
Control gear integrated
Lamp: G12 metal-halide lamp

Quantity/CTN(pcs): 4
CTN Dimension: 420x420x320mm



Model	Lamp	Base	Lamp shape	Matched lamp current	Input	Power factor	IP
NGM012/35W	HQI-T35W	G12		0.5	AC220V/50Hz	0.85	55
NGM012/70W	HQI-T70W	G12		0.99	AC220V/50Hz	0.85	55

Warning: The lamp must be positioned at right angle, otherwise the product cannot be normally functioned.



NG014

- **Applications:**
Areas With Short Plants, Bushes, Lawn, etc., Demanding Elegant Landscape Lighting
- **Material:**
Strengthened engineering plastic, injection molded.
- **Characteristics:**
Heat-resistant silicon seal
Strengthened waterproof locking-ring
Remote-transformer
Cone-shape embedding stick, easy installation
Lamp: MR16 12V / 50W
Rated Voltage: AC12V / 50Hz
Quantity/CTN(pcs): 4
CTN Dimension: 420x420x320mm



NG015

- **Applications:**
Areas with Short Plants, Bushes, Lawn, etc., Demanding Elegant Landscape Lighting
- **Material:**
Strengthened engineering plastic, injection molded
- **Characteristics:**
Heat-resistant silicon seal
Strengthened waterproof locking-ring
Remote-transformer
Cone-shape embedding stick, easy installation
Lamp: MR16 12V / 50W
Rated Voltage: AC12V / 50Hz
Quantity/CTN(pcs): 20
CTN Dimension: 520x375x220mm



NG016


- **Applications:**
Areas with short plants, bushes, lawn, etc., demanding elegant landscape lighting
- **Material:**
Strengthened engineering plastic, injection molded
- **Characteristics:**
Heat-resistant silicon seal
Strengthened waterproof locking-ring
Remote-transformer
Cone-shape embedding stick, easy installation
Lamp: MR16 12V / 50W
Rated Voltage: AC12V / 50Hz
Quantity/CTN(pcs): 20
CTN Dimension: 520x375x220mm





NG606




- **Applications:**
Garden Path, Lawn, Residence Zone, Park, etc
- **Material:**
Aluminum housing, with anticorrosive electrostatic painting
High-purity aluminum reflector
Organic glass shade
- **Characteristics:**
Glare proof
Strengthened silicon seal, weatherproof
Lamp: Energy-saving lamp / metal-halide lamp / sodium lamp



NG033

- **Applications:**
Garden Path, Lawn, Park and Residence Zone of Pleasant Ambience, etc
- **Material:**
Aluminum housing with anticorrosive electrostatic painting
Carbon fiber shade
- **Characteristics:**
With flowerpot on the top, decorative
Soft light,
Strengthened silicon seal, weatherproof
Lamp: E27 energy- saving lamp


Quantity/CTN(pcs): 1
CTN Dimension: 210x210x720mm



NG036

- **Applications:**
Garden Path, Lawn, Park and Residence Zone of Pleasant Ambience, etc
- **Material:**
Aluminum housing with anticorrosive electrostatic painting
UV stop PMMA shade
- **Characteristics:**
Cone-shape design
60# aluminium grating, glare-proof
Strengthened silicon seal, weatherproof
Lamp: E27 energy- saving lamp

Quantity/CTN(pcs): 1
CTN Dimension: 275x275x1020mm



Model	Lamp	Base	Lamp shape	Matched lamp current	Input	Power factor	IP
NG006/20W	CFL	E27		—	AC220V/50Hz	—	55
NG006/70W	HQI-E70W	E27		0.98	AC220V/50Hz	0.85	55
NG006/70W	NAV-T70W	E27		0.98	AC220V/50Hz	0.85	55

Warning: The lamp must be installed at required angle, otherwise the product can not be normally functioned.