



WHERE TECHNOLOGY MEETS ART

FAN CATALOGUE 2024

ABOUT US

Halonix is amongst India's fastest growing residential and institutional lighting companies. Halonix has brought novel lighting solutions that address the needs and aspirations of Indian consumers. The success of Halonix lies in its unparalleled ability to design, develop, and manufacture products that are relevant to Indian conditions. Thanks to its focus on innovation, state-of-the-art technology and quality control, the brand is widely accepted across India by consumers and trade alike. Halonix entered the fans category in 2019 and has delivered the same unique consumer values through its products in the category by combining innovative technology and user-centric design.

Halonix has State-of-the-Art manufacturing facilities and has been accredited with ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 certification. It has dedicated R&D and Design teams, an in-house NABL accredited, fully equipped state-of-the-art laboratory situated at the plant which enables Halonix to design and develop products tailor-made for the Indian consumers.

DECORATIVE CEILING FAN

Cuboid	03-04
Morpheus	05-06
Hexa Plus	07-10
Halo	11-12

BLDC FAN

Plasma	15-16
Plasma BST-R	17-18
Plasma SPL	19-20
Plasma SPL-1	21-22
Floral 6	23-24
Floral	25-26

INDUCTION CEILING FAN

Prima	29-30
Bloom	31-32
Bling Star	33-34
Glacio Star	35-36
Bliss Star	37-38
Coollex Star	39-40
Turbon Star	41-42
Zephyr	43-44
Zephyr LX	45-46
Speedo - Deco	47-48

INVERTER FAN

Inverter Fan	49-50
--------------	-------

PEDESTAL FAN

Krypton	52
Helion Plus	53
Turbon - Farrata	54
Turbon HD (Air Circulator)	55
Bullet	56

WALL FAN

Krypton	58
Helion Plus	59
Turbon HD (Air Circulator)	60
Krypton (Cabin Fan)	61
Pluto (All Purpose Cabin Fan)	62

TABLE FAN

Krypton	64
Helion Plus	65

EXHAUST FAN

Krypton HS	67
Krypton	68
Krypton DBB	69
Krypton HDEF	70
Helion DX	71
Helion	72

PERSONAL FAN

Flouron EX	74
Flouron	75



DECORATIVE CEILING FAN

CUBOID

LOW HEIGHT CEILING FAN

Halonix Cuboid Ceiling Fans are a perfect solution for low ceiling height spaces. Cuboid Ceiling Fan has an integrated light with remote making it an ideal choice for providing you air solution in rooms and commercial spaces with lower heights.

Key Features

Grill for protection and spreading air

• Low ceiling height solution

• Easy & hassle-free mounting

• Power saving LED light

• All function remote



All Function Remote



CUBOID

LOW HEIGHT CEILING FAN



Grill for Protection and Spreading Air



Low Ceiling Height Solution



Easy & Hassle-Free Mounting



Power Saving LED Light



All Function Remote

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
400	230V	95	1750	75	White

MORPHEUS

CEILING FAN

Halonix Morpheus Ceiling Fans with their remote controlled retractable blades and built-in LED light will add unmatched style and cutting-edge technology to your dream home. Ideal for rooms with air conditioning.

Key Features

- Suitable for AC rooms
- Energy-efficient pendant LED light with warm-cool-neutral options
- Silent operation
- All function remote
- No wall regulator required



Crystal



Diamond



Silver



Suitable for
AC Rooms



Energy - Efficient
Pendant fan with LED Light



Silent
Operation



All Funtion
Remote



No Wall Regulator
Required

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1050	230V	58	260	180	Crystal, Diamond, Silver

MORPHEUS
CEILING FAN

HEXA – PLUS

CEILING FAN

Halonix Hexa - Plus, Ceiling Fans with their unique 6 blades design, deliver high air volume silently. With its inbuilt 3 colours LED light and superior aesthetics, Hexa - Plus Fan will add sophistication and class to your dream home. Ideal for rooms with air conditioning.

Key Features

- High air delivery
- Power saving 3 colours LED light
- Copper wire motor
- All function remote
- Electroplated fan with wood finish blades



BLDC
TECHNOLOGY



Consistent Speed
from 160-280 Volts
AC



High Air
Delivery



Power Saving 3
Colours LED
Light



Copper Wire
Motor




All Funtion
Remote



Electroplated Fan
with Wood Finish
Blades




Antique Copper



Antique Copper
Without Light



Matt White



HEXA – PLUS
CEILING FAN

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1200	230V	40	330	210	Anitque Copper, Matt White

HEXA – PLUS

CEILING FAN

Halonix Hexa - Plus, Ceiling Fans with their unique 6 blades design, deliver high air volume silently. With its inbuilt 6 colours LED light and superior aesthetics, Hexa - Plus Fan will add sophistication and class to your dream home. Ideal for rooms with air conditioning.

Key Features


- High air delivery
- Power saving 6 colours LED light
- Copper wire motor
- All function remote
- Electroplated fan with wood finish blades



Antique Copper



Antique Copper Without Light



TECHNICAL SPECIFICATIONS					
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
800	230V	75	370	190	Antique Copper, White
900	230V	45	450	140	

*Star Rating is not applicable for 800mm

HALO

SMART IOT FAN

Halonix Halo Smart IOT Ceiling Fans have a unique signature design that will add greater elegance to your living spaces. Moreover, the fan is IOT enabled and is at the cutting edge of design and technology. It allows you to control the fan in various modes through your phone adding a new dimension of comfort and experience. It also comes with a remote through which the fan's operation can be at your fingertips. Its robust heavy-duty motor ensures that your comforts are never compromised.

Key Features

- High speed
- High air delivery
- Low power consumption
- Double ball bearing
- Copper wire motor

Halonix Smart IOT Fan Technology

IOT enabled control with Halonix Smart IOT App.
Enabled with Alexa and Google Assistant Voice Controls



Fan on/off and speed up & down



Turbo mode – instant relief with higher air delivery



Nature mode – feel of natural air as fan changes speed automatically



Built-in timer options



Sleep mode - fan will slow down after you sleep as temperature falls



Intelligent mode - temperature and humidity sensor controls that adjust the speed according to your room temperature



IOT Enabled Wifi



Direct Mode



IR Remote



BLDC
TECHNOLOGY



IS: 374



CML 8300153207



All Function Remote



Pearl White



Pearl Silver



Baker Brown

HALO
SMART IOT FAN



Smooth Operation
& High Air Delivery



More than 70%
Power Saving



Copper Wire
Motor



Double Ball
Bearing

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1200	230V	28	350	220	Baker Brown, Pearl White, Pearl Silver

HALONIX



ENERGY EFFICIENT “5 STAR”
BLDC CEILING FAN

PLASMA

ENERGY EFFICIENT "5 STAR"
BLDC CEILING FAN

Halonix Plasma Ceiling Fans with their unique zero-friction technology save upto 70% electricity and enhance durability by upto 2X. With the added convenience of a remote control, Plasma Ceiling Fan is financially and environmentally the smart choice for your dream home.

Key Features

- Upto 70% power saving
- Smooth operation & high air delivery
- Consistent speed from 160-280 Volts AC
- All function remote
- Copper wire motor



Consistent Speed
from 160-280 Volts
AC



Smooth Operation
& High Air Delivery



Power Saving
Upto 70%




Copper Wire
Motor



White



Ivory



Brown

PLASMA
BLDC CEILING FAN

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
900	230V	25	425	130	White, Brown, Ivory
1200	230V	28	350	220	
1400	230V	35	310	255	

Also available in operating with regulator
Note: ISI is not applicable for Plasma 900mm

PLASMA BST R

ENERGY EFFICIENT "5 STAR"
BLDC CEILING FAN

Halonix Plasma BST R Ceiling Fans with their unique zero-friction technology save upto 70% electricity and enhance durability by upto 2X. With the added convenience of a remote control, Plasma BST R Ceiling Fan is financially and environmentally the smart choice for your dream home.

Key Features

Upto 70% power saving

Smooth operation & high air delivery

Consistent speed from 160-280
Volts AC



Energy Efficient



White



Brown



Ivory



Consistent Speed
from 160-280 Volts
AC



Smooth Operation
& High Air Delivery



Power Saving
Upto 70%

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1200	230V	28	350	215	White, Brown, Ivory
1400	230V	33	310	250	

*Also available with remote

PLASMA SPL

ENERGY EFFICIENT "5 STAR"
BLDC CEILING FAN

Halonix Plasma SPL - 5 star decorative Ceiling Fans with their unique Zero-Friction technology save up to 70% electricity and enhance durability. With the added convenience of a remote control, Plasma SPL ceiling fan is financially and environmentally the smart choice for your dream home.

Key Features

- High speed
- Wide tip blade for high air delivery
- Double ball bearing
- Copper wire motor
- BIS Approved



BLDC
TECHNOLOGY



All Function Remote



IS: 374




CM/L 8300153207



Brown



White



Smooth Operation
& High Air Delivery



Power Saving
Upto 70%



Copper Wire
Motor



Double Ball
Bearing

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1200	230V	30	350	210	Brown, White

*Also available in operating with regulator

PLASMA SPL 1

ENERGY EFFICIENT “5 STAR”
BLDC CEILING FAN

Halonix Plasma SPL 1 - Decorative Ceiling Fan with their unique zero-friction technology save upto 70% electricity and enhance durability by upto 2X. With the added convenience of a remote control, Plasma SPL 1 Ceiling Fan is financially and environmentally the smart choice for your dream home.

Key Features


- Upto 70% power saving
- Smooth operation & high air delivery
- Consistent speed from 160-280 Volts AC
- All function remote
- Copper wire motor



All Function Remote




White



Brown



Ivory



Consistent Speed
from 160-280 Volts
AC



Smooth Operation
& High Air Delivery



Power Saving
Upto 70%



Copper Wire
Motor

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1200	230V	28	350	222	White, Brown, Ivory
1400	230V	35	310	270	

*Also available in operating with regulator

FLORAL 6

CEILING FAN

Halonix Floral 6 Decorative BLDC Ceiling Fans with 6 blades is unique zero friction technology save upto 70% electricity and enhance durability by upto 2X. With the added convenience of a remote control, Floral 6 Ceiling Fan is financially and environmentally the smart choice for your dream home.

Key Features

- All function remote
- High air delivery
- Upto 70% power saving
- Double ball bearing
- Copper wire motor
- Power saving 3 colour led light With dimming option



All Function Remote



Wooden



Wooden



White



Smoke Brown



Bianco

FLORAL 6

CEILING FAN



High Speed



Wide Tip Blade for High Air Delivery



Power Saving upto 70%



Double Ball Bearing



Copper wire Motor

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1200	230V	35	325	240	Wooden, White, Smoke Brown, Bianco

*Also available with option of wi-fi

FLORAL

ENERGY EFFICIENT "5 STAR"
BLDC CEILING FAN

Halonix Floral Decorative Ceiling Fans with their unique zero-friction technology save upto 70% electricity and enhance durability by upto 2X. With the added convenience of a remote control, Floral Ceiling Fan is financially and environmentally the smart choice for your dream home.

Key Features

- Upto 70% power saving
- Smooth operation & high air delivery
- Consistent speed from 160-280 Volts AC
- All function remote
- Copper wire motor
- Power Saving with 3 Colours LED Light



Energy Efficient



All Function Remote



Power Saving with 3 Colours LED Light




Antique copper



White



Ivory



Consistent Speed
from 160-280 Volts
AC



Smooth Operation
& High Air Delivery



Power Saving
upto 70%



Copper Wire
Motor

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1200	230V	35	310	220	White ,Brown Ivory
1400	230V	40	300	245	Antique Copper, White

HALONIX



INDUCTION CEILING FAN

PRIMA

CEILING FAN

Halonix Prima 1 star decorative ceiling fan have superior electroplated finish with high gloss electrophoretic lacquer coating for longer life.

Key Features

- High speed
- Unique blade design for high air delivery
- Double ball bearing
- Electroplated fan
- Copper wire motor



PRIMA

DECORATIVE CEILING FAN



High Speed



Wide Tip Blade for High Air Delivery



Power Saving up to 30%



Double Ball Bearing



Copper wire Motor

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1200	230V	52	350	210	Antique Copper

*Operating with regulator

BLOOM

CEILING FAN

Halonix Bloom - 1 star decorative ceiling fans with dual metallic colours are designed to match your interiors. Bloom ceiling fans will add sophistication and class to your dream homes. It also comes with Anti-Dust & Anti-Rust technology and therefore will be easy to clean as well.

Key Features

- Wide tip blade for high air delivery
- Power saving upto 30%
- Double ball bearing
- Copper wire motor
- BIS Approved



Copper Brown



Copper Brown



White



Ice Blue



Bianco



High Speed



Wide Tip Blade for High Air Delivery



Power Saving up to 30%



Double Ball Bearing



Copper wire Motor

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1200	230V	52	350	210	Copper Brown, White, Ice Blue, Bianco

BLING STAR

CEILING FAN

Halonix Bling - 1 Star Decorative Ceiling Fans are designed to impress with their bold design and unmatched performance. They will add to the glamour of your dream home. Bling Ceiling Fan is a high speed fan.

Key Features

- High speed
- High air delivery
- Power saving upto 30%
- Double ball bearing
- Copper wire motor



Copper Brown



Copper Brown



Smoke Brown



White



Bianco



High Speed



High Air Delivery



Power Saving up to 30%



Double Ball Bearing



Copper Wire Motor

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1200	230V	50	340	210	Copper Brown, Smoke Brown, White, Bianco


GLACIO STAR

CEILING FAN

Halonix Glacio - 1 star decorative ceiling fans with dual metallic colours are designed to match your interiors. Glacio ceiling fans will add sophistication and class to your dream homes. It also comes with Anti-Dust & Anti-Rust technology and therefore will be easy to clean as well.

Key Features

- Wide tip blade for high air delivery
- Power saving upto 30%
- Double ball bearing
- Copper wire motor



Pearl white



Metallic Brown



Metallic Gold



Wide Tip Blade for High Air Delivery



Power Saving up to 30%



Double Ball Bearing



Copper wire Motor

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1200	230V	50	340	210	Pearl White, Metallic Gold, Metallic Brown, Matte Black

BLISS STAR

CEILING FAN

Halonix Bliss - 1 star decorative ceiling fans are a perfect blend of beauty and performance. It is a high speed and wide blade fan designed to push air in all corners of your room. It also comes with Anti-Dust & Anti-Rust technology which is easy to clean.

Key Features

- High speed
- High air delivery
- Power saving up to 30%
- Double ball bearing
- Copper wire motor



Black Rose



Metallic Blue



Metallic Ivory



High Speed



High Air Delivery



Power Saving up to 30%



Double Ball Bearing



Copper Wire Motor

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1200	230V	50	380	210	Black Rose, Metallic Blue, Metallic Ivory

COOLEX STAR

CEILING FAN

Halonix Coolex Star – 1 Star Decorative Ceiling Fans are designed to impress with their bold design and unmatched performance. They will add to the glamour of your dream home.

Key Features

- High speed
- Wide tip blade for high air delivery
- Power saving upto 30%
- Double ball bearing
- Copper wire motor
- BIS Approved



Smoke Brown



IS: 374



CM/L 8800121663

COOLEX STAR






CEILING FAN



Smoke Brown

White

Bianco

 High Speed	 Wide Tip Blade for High Air Delivery	 Power Saving up to 30%	 Double Ball Bearing	 Copper wire Motor	TECHNICAL SPECIFICATIONS					
					Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
					1200	230V	50	400	210	Smoke Brown, White, Bianco

*Operating with regulator

TURBON STAR

CEILING FAN

Halonix Turbon - 1 star Ceiling Fan with energy efficient technology save up to 30% electricity and high air delivery and durability. They operate at 400 RPM and ensure superior performance.

Key Features

- High speed
- High air delivery
- Power saving up to 30%
- Double ball bearing
- Copper wire motor



Brown



Bianco



White

TURBON STAR

CEILING FAN



High Speed



High Air Delivery



Power Saving up to 30%



Double Ball Bearing



Copper Wire Motor

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1200	230V	50	400	210	White, Brown, Bianco

ZEPHYR

CEILING FAN

Halonix Zephyr - 1 Star Ceiling Fan with energy efficient technology save up to 30% electricity, High Air Delivery and Durability. They have robust motor & designed with aerodynamically balanced blades that ensure superior performance.

Key Features

Power saving up to 30%

Smooth operation

High air delivery

Consistent speed from 160 - 280 Volts AC

Double ball bearing

Copper wire motor



Brown



Ivory



White



Consistent Speed from 160-280 Volts AC



Smooth Operation & High Air Delivery



Power Saving up to 30%



Copper Wire Motor



Double Ball Bearing

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
900	230V	42	450	130	White, Brown, Ivory
1200	230V	50	340	210	
1400	230V	60	280	255	

ZEPHYR LX

CEILING FAN

Halonix Zephyr LX - 3 Star Ceiling Fan with energy efficient technology save up to 44% electricity, High Air Delivery and Durability.

Key Features

- Power saving upto 44%
- Smooth operation
- High air delivery
- Consistent speed from 160 - 280 Volts AC
- Double ball bearing
- Copper wire motor



IS: 374



CM/L 8454382



Brown



Ivory



White

ZEPHYR LX
CEILING FAN



Consistent Speed
from 160-280 Volts
AC



Smooth Operation
& High Air Delivery



Power Saving
up to 44%



Copper Wire
Motor



Double Ball
Bearing

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1200	230V	42	340	210	White, Brown, Ivory
1400	230V	49	310	245	

SPEEDO - DECO

CEILING FAN

Halonix Speedo - Deco 4 Blade Decorative 600mm ceiling fan with powder coated finish is designed to match your interiors.

Key Features


- High speed
- Wide tip blade for high air delivery
- Powder Coating for longer life
- Double ball bearing



Brown



Brown



Brown

Bianco



IS: 374



CM/L 8800121663



High Speed



Wide Tip Blade for High Air Delivery



Double Ball Bearing

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
600	230V	65	850	110	Brown, Bianco

*Also available in speedo normal
*Also available in operating with regulator



INVERTER FAN



In the height of summer when the mercury is soaring and there is a power-cut, the heat can become unbearable. This discomfort faced by our consumers propelled us to come up with our unique offering of Inverter Fans. With a back-up of 10 hours, our Inverter Fans can help you feel comfortable even during really long power cuts. The batteries get recharged when the power comes back on thereby ensuring that the fan will be ready to provide you with relief during the next power-cut.

**INVERTER
FAN**
UPTO
10 HRS BACKUP

10 hrs back-up on minimum speed

Key Features

- High speed DC motor & bright LED light
- High air delivery
- Aerodynamically balanced blades
- All function remote
- Full charge indicator
- Direct solar charging option

INVERTER

INVERTER FAN



High Speed DC Motor
& Bright LED Light



High Air
Delivery



Aerodynamically
Balanced Blades



Full Charge
Indicator

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
300	230 V	24	1600	60	White



PEDESTAL FAN



KRYPTON
PEDESTAL FAN

Halonix Krypton Pedestal Fans come with TOP (Thermal Overload Protector) technology, which will save the motor by breaking the circuit if the motor reaches near to burning temperature and will start again once the motor has cooled down.

Key Features

- Aerodynamically balanced blades
- High speed 2000 RPM
- Sturdy and shockproof body
- Copper wire motor
- Synchronous motor for jerk free and smooth operation

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
400	230 V	95	2000	95	Bianco



HELION PLUS

PEDESTAL FAN



Aerodynamically
Balanced Blades



High Air
Delivery



Sturdy and
Shockproof Body



Copper Wire
Motor



Pivot Arrangement
for Tilting and
Operation



TURBON - FARRATA

PEDESTAL FAN



Powerful Motor
Design



Excellent Performance
at Low Voltage



High Air
Velocity



Dynamically Balanced
Blades for Smooth
Operation



Copper Wire Motor and
Powder Coated for
Longer Life

*ALSO AVAILABLE WITH OSCILLATION OPTION

Halonix Helion Plus Pedestal Fans come with TOP (Thermal Overload Protector) technology, which will save the motor by breaking the circuit if the motor reaches near to burning temperature and will start again once the motor has cooled down.

Key Features

- Aerodynamically balanced blades
- High air delivery
- Sturdy and shockproof body
- Copper wire motor
- Pivot arrangement for tilting and operation

TECHNICAL SPECIFICATIONS					
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
400	230 V	55	1400	75	White

Halonix Turbon - Farrata comes with a high air delivery motor design which ensures an optimum performance even at a low AC voltage in case of voltage fluctuations.

Key Features

- Powerful motor design
- Excellent performance at low Voltage
- High air velocity
- Dynamically balanced blades for smooth operation
- Copper wire motor and powder coated for longer life

TECHNICAL SPECIFICATIONS					
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
500	230 V	150	1400	110	Grey



TURBON HD

PEDESTAL FAN

AIR CIRCULATOR



Powerful Motor Design



Excellent Performance at Low Voltage



High Air Velocity



Dynamically Balanced Blades for Smooth Operation



Copper Wire Motor and Powder Coated for Longer Life

*ALSO AVAILABLE WITH OSCILLATION OPTION

Halonix Turbon HD Pedestal Fans come with a high air delivery motor design which ensures an optimum performance even at low AC voltage in case of voltage fluctuations.

Key Features

- Powerful motor design
- Excellent performance at low Voltage
- High air velocity
- Dynamically balanced blades for smooth operation
- Copper wire motor and powder coated for longer life

TECHNICAL SPECIFICATIONS					
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMH)	Colors
450	230 V	100	1400	9000	Grey
600	230 V	200	1400	16200	
750	230 V	250	1400	23000	

Note: product is subject to change and tolerance will be $\pm 10\%$



BULLET

PEDESTAL FAN



Powerful Motor Design



Excellent Performance at Low Voltage



High Air Velocity



Dynamically Balanced Blades for Smooth Operation



Copper Wire Motor and Powder Coated for Longer Life

Key Features

- Powerful motor design
- Excellent performance at low Voltage
- High air velocity
- Dynamically balanced blades for smooth operation
- Copper wire motor and powder coated for longer life

TECHNICAL SPECIFICATIONS					
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
400	230 V	120	2000	90	Black, Chrome



WALL FAN



Aerodynamically
Balanced Blades



High Air
Delivery



Sturdy and
Shockproof Body



Copper Wire
Motor



Synchronous Motor for
Jerk Free and Smooth
Operation

Halonix Krypton Wall Fans come with TOP (Thermal Overload Protector) technology, which will save the motor by breaking the circuit if the motor reaches near to burning temperature and will start again once the motor has cooled down.

Key Features

- Aerodynamically balanced blades
- High speed 2000 RPM
- Sturdy and shockproof body
- Copper wire motor
- Synchronous motor for jerk free and smooth operation

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
400	230 V	95	2000	95	Bianco
300	230 V	75	2000	75	



HELION PLUS

WALL FAN



Aerodynamically
Balanced Blades



High Air
Delivery



Sturdy and
Shockproof Body



Copper Wire
Motor



Pivot Arrangement
for Tilting and
Operation



TURBON HD

WALL FAN

AIR CIRCULATOR



Powerful Motor
Design



Excellent Performance
at Low Voltage



High Air
Velocity



Dynamically Balanced
Blades for Smooth
Operation



Copper Wire Motor
and Powder Coated
for Longer Life

*ALSO AVAILABLE WITH OSCILLATION OPTION

Halonix Helion Plus Wall Fans come with TOP (Thermal Overload Protector) technology, which will save the motor by breaking the circuit if the motor reaches near to burning temperature and will start again once the motor has cooled down.

Key Features

- Aerodynamically balanced blades
- High air delivery
- Sturdy and shockproof body
- Copper wire motor
- Pivot arrangement for tilting and operation

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
400	230 V	55	1400	75	White

Halonix Turbon Wall Fan come with a high air delivery motor design which ensures an optimum performance even at low AC voltage in case of voltage fluctuations.

Key Features

- Powerful motor design
- Excellent performance at low Voltage
- High air velocity
- Dynamically balanced blades for smooth operation
- Copper wire motor and powder coated for longer life

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMH)	Colors
450	230 V	100	1400	9000	Grey
600	230 V	200	1400	16200	
750	230 V	250	1400	23000	



KRYPTON

CABIN FAN



Aerodynamically
Balanced Blades



Speed 2200 RPM



Powder Coated
Metallic Finish



High Durability



Noiseless
Operation



Powerful
Motor

PLUTO

ALL PURPOSE CABIN FAN

Halonix Krypton Cabin Fan comes with rotating grill for automatic air rotation to cover a large area and helps you for your specific requirements of air in places like kitchen, washroom, cabin, balcony and small office spaces. It comes with Aerodynamic Blades and Shockproof Body.

Key Features

- Aerodynamically balanced blades
- High air delivery
- Sturdy and shockproof body
- Copper wire motor
- Rotating grill

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
300	230 V	85	2000	65	White

Halonix Pluto All-Purpose Cabin Fan comes with powder coated Metallic body with PVC blades to cover a large area and helps for your specific requirements of air in places like kitchen, washroom, cabin, balcony and small office spaces.

Key Features

- Aerodynamically balanced blades
- Speed 2200 RPM
- Powder coated Metallic Finish
- High durability
- Noiseless operation
- Powerful motor

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMH)	Colors
300	230 V	85	2200	1600	White





TABLE FAN



KRYPTON
TABLE FAN

Halonix Krypton Table Fans come with TOP (Thermal Overload Protector) technology, which will save the motor by breaking the circuit if the motor reaches near to burning temperature and will start again once the motor has cooled down.

Key Features

- Aerodynamically balanced blades
- High speed 2000 RPM
- Sturdy and shockproof body
- Copper wire motor
- Synchronous motor for jerk free and smooth operation

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
400	230 V	95	2000	95	Bianco



HELION PLUS

TABLE FAN




Halonix Helion Plus Table Fans come with TOP (Thermal Overload Protector) technology, which will save the motor by breaking the circuit if the motor reaches near to burning temperature and will start again once the motor has cooled down.

- Key Features
- Aerodynamically balanced blades
 - High air delivery
 - Sturdy and shockproof body
 - Copper wire motor
 - Pivot arrangement for tilting and operation

TECHNICAL SPECIFICATIONS					
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
400	230 V	55	1400	75	White

HALONIX



EXHAUST FAN



KRYPTON HS

EXHAUST FAN



High Speed Air Ventilation



Specially Designed Metal Blades



Powder Coated Metallic Finish



High Durability

Halonix Krypton HS Exhaust Fans have a robust construction and are designed for high speed ventilation with bird guard to protect the fans in running operation.

Key Features

- High speed air ventilation
- Specially designed metal blades
- Powder coated metallic finish
- High durability

TECHNICAL SPECIFICATIONS					
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMH)	Colors
150	230 V	60	2400	400	Metallic Grey
230	230 V	65	2400	1050	Metallic Grey
300	230 V	80	2400	1600	Metallic Grey



KRYPTON

EXHAUST FAN



High Speed Air Ventilation



Specially Designed Metal Blades



Powder Coated Metallic Finish



High Durability

Halonix Krypton Exhaust Fans have a robust construction and ensure high durability with bird guard to protect the fan in running condition.

Key Features

- High speed air ventilation
- Specially designed metal blades
- Powder coated metallic finish
- High durability

TECHNICAL SPECIFICATIONS					
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMH)	Colors
230	230 V	50	1400	750	Metallic Grey
300	230 V	60	1400	1050	



KRYPTON DBB

EXHAUST FAN



Noiseless Operation



High speed Air Ventilation



Powder Coated Metallic Finish



Double Ball Bearing




High Durability



KRYPTON HDEF

EXHAUST FAN



High Speed Air Ventilation



Specially Designed Metal Blades



Powder Coated Metallic Finish



High Durability

Halonix Krypton DBB Exhaust Fans are low on maintenance and high on efficiency. Equipped with an automatic shutter for dust and bug protection, the fans ensure not just optimum performance but also silent operation.

Key Features

- Noiseless operation
- High speed air ventilation
- Powder coated metallic finish blades
- Double ball bearing
- High durability

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMH)	Colors
230	230 V	45	1400	750	Metallic Grey
300	230 V	70	1400	1600	

Halonix Krypton Heavy Duty Exhaust Fans have a robust construction and ensure high durability with bird guard to protect the fan in running condition.

Key Features

- High speed air ventilation
- Specially designed metal blades
- Powder coated metallic finish
- High durability

TECHNICAL SPECIFICATIONS

Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMH)	Colors
300	230 V	55	900	1145	Metallic Grey
380	230 V	100	900	2000	
450	230 V	145	900	3900	
380	230 V	160	1400	3250	
450	230 V	410	1400	6120	



HELION DX

VENTILATION FAN



Smooth Operation
of Auto Shutter



High Quality
Engineering Plastic



Anti-Static
Properties



Silent Operation



Light & Dust Proof
Body for Durability

Halonix Helion DX Ventilator Fans are low on maintenance and high on efficiency. Equipped with an automatic shutter for dust and bug protection, the fans ensure not just optimum performance but also silent operations.

Key Features

- Automatic shutter for dust protection
- High quality engineering plastic
- Anti-static properties
- Silent operation
- Light & dust proof body for durability

TECHNICAL SPECIFICATIONS					
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMH)	Colors
150	230 V	30	1300	275	White
200	230 V	35	1300	450	
250	230 V	40	1200	900	



HELION

EXHAUST FAN



Aerodynamically
Balanced Blades



High Quality
Engineering Plastic



Anti-Static
Properties



Silent Operation



Light & Dust Proof
Body for Durability

Halonix Helion Exhaust Fans are low on maintenance and high on efficiency. Robust motor for continuous running of the fan, the fans are undeniably light and ensure silent operation.

Key Features

- Aerodynamically balanced blades
- High quality engineering plastic
- Anti-static properties
- Silent operation
- Light & dust proof body for durability

TECHNICAL SPECIFICATIONS					
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMH)	Colors
100	230 V	15	2400	150	Bianco
150	230 V	25	1750	275	



PERSONAL FAN



Powerful Motor Design



Excellent Performance at Low Voltage



High Air Velocity



Dynamically Balanced Blades for Smooth Operation



Copper Wire Motor and Powder Coated for Longer Life

Halonix Flouren EX Personal Fans are designed for multiple needs of your day to day life. Halonix Flouren EX Fan can be used as Floor-Table-Wall fan with different choice of speeds for your different requirements.

- Key Features
- Powerful motor design
 - Excellent performance at low Voltage
 - High air velocity
 - Dynamically balanced blades for smooth operation
 - Copper wire motor and powder coated for longer life

TECHNICAL SPECIFICATIONS					
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
300	230 V	85	2000	65	Grey



Halonix Floureon Personal Fans with its unique zero-friction technology saves upto 70% electricity and increase durability by upto 2x. Halonix Floureon Personal Fan is financially and environmentally the smart choice for your dream home.



More than 70% Powder Saving



Smooth Operation & High Air Delivery



Consistent Speed from 110-250 Volts AC



Silent Operation




Copper Wire Motor

FLOURON

PERSONAL FAN

PAN INDIA SALES & SERVICE TEAM NETWORK



CORPORATE OFFICE

Halonix Technologies Pvt. Ltd., B - 31, Phase-2, Noida, (U.P.) - 201305. Tel: +91 - 120 - 4756100, Fax: +91 - 120 - 4756101

REGIONAL OFFICES

EAST - Halonix Technologies Pvt. Ltd., 67B Ballygunge Circular Road, Ballygunge Park Tower, 9th Floor, Kolkata - 700019, Tel: +91 - 033 - 40081849

WEST - Halonix Technologies Pvt. Ltd., The Affairs Office No. 1402, 14th floor Plot No. 9, Sector 17, Sanpada Navi Mumbai, Thane - 400705 Tel: +91 - 022 - 35120050

SOUTH - Halonix Technologies Pvt. Ltd., No.6, "Legacy" 1st Floor, Convent Road, Richmond Town, Bengaluru - 560025, Tel: +91 - 080 - 41125296

MANUFACTURING UNIT - Halonix Technologies Pvt. Ltd., Plot No.5, Sector 12, IIE SIDCUL, Haridwar, Uttarakhand - 249403

For more information/customer feedback contact customer service executive Toll Free No.: 1800-103-6564 | E-mail: customercare@halonix.co.in | Website: www.halonix.co.in

Terms & Conditions:

- 1. All dimensions are in 'mm'.
- 2. Tolerance in electrical & performance parameters as per relevant Indian Standard (IS).
- 3. The image depicted in the catalogue may vary from the actual product.
- 4. ØB: cut out dimension.
- 5. Due to continuous efforts in developing products improvement, M/s. Halonix Technologies Private Limited reserves the right to make any changes in the design and data and withdraw the Fan products without any prior notice.

As improvement in design & method of manufacturing is a continuous process, the product supplied may differ in details from given data.

CORPORATE OFFICE

Halonix Technologies Pvt. Ltd.

B - 31, Phase-2, Noida, (U.P.) - 201305. Tel: +91 - 120 - 4756100,

Fax: +91 - 120 - 4756101

REGIONAL OFFICES

EAST

Halonix Technologies Pvt. Ltd.

67B Ballygunge Circular Road, Ballygunge Park Tower, 9th Floor,

Kolkata - 700019,

Tel: +91 - 033 - 40081849

WEST

Halonix Technologies Pvt. Ltd.

The Affairs Office No. 1402, 14th Floor, Plot No. 9, Sector 17

Sanpada, Navi Mumbai, Thane - 400705

Tel: +91 - 022 - 35120050

SOUTH

Halonix Technologies Pvt. Ltd.

No.6, "Legacy" 1st Floor, Convent Road, Richmond Town,

Bengaluru - 560025, Tel: +91 - 080 - 41125296

MANUFACTURING UNIT

Halonix Technologies Pvt. Ltd.

Plot No.5, Sector 12, IIE SIDCUL, Haridwar, Uttarakhand - 249403

For more information/customer feedback contact customer care executive

Toll Free No.: 1800-103-6564 | E-mail: customercare@halonix.co.in | Website: www.halonix.co.in