CORPORATE OFFICE

Halonix Technologies Pvt. Ltd.
B - 31, Phase-2, Noida, (U.P.) - 201305. Tel: +91 - 120 - 4756100,
Fax: +91 - 120 - 4756101

REGIONAL OFFICES

EAST

Halonix Technologies Pvt. Ltd.
67B Ballygunge Circular Road, Ballygunge Park Tower, 9th Floor,
Kolkata - 700019,

Tel: +91 - 033 - 40081849

WEST

Halonix Technologies Pvt. Ltd.

The Affairs Office No. 1402, 14th Floor, Plot No. 9, Sector 17 Sanpada, Navi Mumbai, Thane - 400705

Tel: +91 - 022 - 35120050

SOUTH

Halonix Technologies Pvt. Ltd.

No.6, "Legacy" 1st Floor, Convent Road, Richmond Town, Bengaluru - 560025, Tel: +91 - 080 - 41125296

MANUFACTURING UNIT

Halonix Technologies Pvt. Ltd.

Plot No.5, Sector 12, IIE SIDCUL, Haridwar, Uttarakhand - 249403

For more information/customer feedback contact customer care executive

Toll Free No.: 1800-103-6564 | E-mail: customercare@halonix.co.in | Website: www.halonix.co.in



ABOUT US

Halonix is amongst India's fastest growing residential and institutional lighting companies. Halonix has brought novel lighting solutions that address the needs and aspirations of Indian consumers. The success of Halonix lies in its unparalleled ability to design, develop, and manufacture products that are relevant to Indian conditions. Thanks to its focus on innovation, state-of-the-art technology and quality control, the brand is widely accepted across India by consumers and trade alike. Halonix entered the fans category in 2019 and has delivered the same unique consumer values through its products in the category by combining innovative technology and user-centric design.

Halonix has State-of-the-Art manufacturing facilities and has been accredited with ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 certification. It has dedicated R&D and Design teams, an in-house NABL accredited, fully equipped state-of-the- art laboratory situated at the plant which enables Halonix to design and develop products tailor-made for the Indian consumers.

CONTENT

DECORATIVE CEILING FANS	02-22
BLDC CEILING FANS	23-38
INDUCTION CEILING FANS	39-62
INVERTER TABLE FANS	63-64
PEDESTAL FANS	65-70
WALL FANS	71-79°
TABLE FANS	80-82
EXHAUST FANS	83-89



DECORATIVE CEILING FAN



CUBOID

LOW HEIGHT CEILING FAN

Halonix Cuboid Ceiling Fans are a perfect solution for low ceiling height spaces. Cuboid Ceiling Fan has an integrated light with remote making it an ideal choice for providing you air solution in rooms and commercial spaces with lower heights.

Key Features


Grill for protection and spreading air

Low ceiling height solution

Easy & hassle-free mounting

Power saving LED light

All function remote

















All Funtion

TECHNICAL SPECIFICATIONS					
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
400	230V	70	1300	75	White

MORPHEUS PLUS

MORPHEUS PLUS

CEILING FAN

Halonix Morpheus Plus Ceiling Fans with their remote controlled retractable blades and built-in-LED light will add unmatched style and cutting edge technology to your dream home. Ideal for rooms with air conditioning.

Key Features


Suitable for AC rooms

Energy-efficient pendent LED with Colour Changing and adjustable light

Silent operation

All function remote

No wall regulator required











BLDC



Suitable for AC Rooms



Energy-efficient pendent LED with Colour Changing and adjustable light







TECHNICAL SPECIFICATIONS					
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1067	230V	40	290	225	Diamond

PLACIO CELLING FAN

PLACIO

CEILING FAN

Halonix Placio Ceiling Fans feature an innovative Zero-Friction technology that saves up to 70% on electricity and enhances durability. Equipped with a convenient remote control, Placio ceiling fans are a financially savvy and environmentally friendly choice for your dream home.

Key Features


Wooden Finish

High speed

Wide tip blade for high air delivery

Double ball bearing

Copper wire motor



















Copper









		TECHNICAL.	SPECIFICATION	JNS	
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1200	230V	40	330	215	Copper, Black, Nickel Black, Brass & White

ECOWIND PRIME

CEILING FAN

Halonix Ecowind Prime-Ceiling Fans with their unique Zero-Friction technology save up to 70% electricity and enhance durability. With the added convenience of a remote control, Ecowind Prime fan is financially and environmentally the smart choice for your dream home.

Key Features


Wooden Finish

High speed

Wide tip blade for high air delivery

Double ball bearing

Copper wire motor





























Double Ball Bearing

TECHNICAL SPECIFICATIONS					
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1200	230V	35	330	210	Wooden Finish (Copper & Brass)

ECOWIND PRO

CEILING FAN

Halonix Ecowind Pro - Ceiling Fans with their unique Zero-Friction technology save up to 30% electricity and enhance durability. With the added convenience of a remote control, Ecowind Pro fan is financially and environmentally the smart choice for your dream home.

Key Features


Wooden Finish

High speed

Wide tip blade for high air delivery

Double ball bearing

Copper wire motor

























		TECHNICAL	SPECIFICATIO	ONS	
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1200	230V	52	350	215	Wooden Finish (Copper & Brass)

WINZER

CEILING FAN

Halonix Winzer Ceiling Fans feature unique Zero-Friction technology, saving up to 40% on electricity and enhancing durability. With the added convenience of a remote control, Winzer ceiling fans are a financially and environmentally smart choice for your dream home.

Key Features

Wooden Finish

High speed

Wide tip blade for high air delivery

Double ball bearing

Copper wire motor

BIS Approved



WINZER CEILING FAN























llack

Copper

Wh





Power Saving with Colour Changing Light



Double Ball Bearing

TECHNICAL SPECIFICATIONS					
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1200	230V	40	330	210	Brass, Copper, White & Black

AIR TWIST 5

SILENT CEILING FAN

The Halonix Air Twist 5, ceiling fans have unique aerodynamically designed blades which deliver high air speed silently.

With its in-built LED light and futuristic design, It will add style and modernity to your dream home.

Key Features

Wooden Finish

Designer LED Light

All Function Remote

Double ball bearing

Copper wire motor

Aerodynamic Blades for high air delivery, silent operation

















AIR TWIST 5 SILENT CEILING FAN







Dark Wood



Silent Operation & High Air Delivery



Power Saving 3 Colour LED Light



Double Ball Bearing

		TECHNICAL.	SPECIFICATION	/N3	
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1230	230V	38	200	230	White, Black, Rose Wood & Dark Wood

^{*}Also available in option without LED.
*Also available in option of 3 blade with LED & without LED.

CRISTA

CEILING FAN

The Halonix Crista, Decorative Ceiling Fans utilize innovative Zero-Friction technology, providing up to 30% electricity savings and increased durability.

Key Features


High speed

Wide tip blade for high air delivery

Double ball bearing

Copper wire motor

BIS Approved







CRISTA









White

		TECHNICAL S	SPECIFICATIO	ONS	
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1200	230V	50	400	210	Coffee Brown Matt Blue, White, Metallic Gold

Metallic Gold



Power Saving Upto 30%

HEXA - PLUS

CEILING FAN

Halonix Hexa - Plus, Ceiling Fans with their unique 6 blades design, deliver high air volume silently. With its inbuilt 3 colours LED light and superior aesthetics, Hexa - Plus Fan will add sophistication and class to your dream home. Ideal for rooms with air conditioning.

Key Features

High air delivery

Power saving 3 colours LED light

Copper wire motor

All function remote

Electroplated fan with wood finish blades



HEXA - PLUS CEILING FAN


















Matt White









Power Saving 3 Colours LED



Blades

Electroplated Fan with Wood Finish

TECHNICAL SPECIFICATIONS					
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors
1200	230V	40	330	210	Anitque Copper, Matt White



^{*}Also available in option without LED.

HEXA - PLUS

CEILING FAN

Halonix Hexa - Plus, Ceiling Fans with their unique 6 blades design, deliver high air volume silently. With its inbuilt 6 colours LED light and superior aesthetics, Hexa - Plus Fan will add sophistication and class to your dream home. Ideal for rooms with air conditioning.

Key Features


High air delivery

Power saving 6 colours LED light

Copper wire motor

All function remote

Electroplated fan with wood finish blades























All Funtion Remote

lated Fan

Blades

TECHNICAL SPECIFICATIONS						
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors	
900	230V	45	450	140	Antique Copper, White	



^{*}Also available in option without LED.



ENERGY EFFICIENT "5 STAR" BLDC CEILING FAN

PLASMA

ENERGY EFFICIENT "5 STAR" BLDC CEILING FAN

Halonix Plasma Ceiling Fans with their unique zero-friction technology save upto 70% electricity and enhance durability by upto 2X. With the added convenience of a remote control, Plasma Ceiling Fan is financially and environmentally the smart choice for your dream home.

Key Features

Upto 70% power saving

Smooth operation & high air delivery

Consistent speed from 160-280 Volts AC

All function remote

Copper wire motor











Energy Efficient



All Function Remote









Copper Wire

	TECHNICAL ST ECHTCATIONS						
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors		
900	230V	25	425	130			
1200	230V	28	350	220	White, Brown, Ivory & Blue		
1400	230V	35	290	255			

PLASMA









Also available in operating with regulator

Consistent Speed from 160-280 Volts

PLASMA BST R

ENERGY EFFICIENT "5 STAR" BLDC CEILING FAN


Halonix Plasma BSTR Ceiling Fans with their unique zero-friction technology save upto 70% electricity and enhance durability by upto 2X. With the added convenience of a remote control, Plasma BST R Ceiling Fan is financially and environmentally the smart choice for your dream home.

Key Features

Upto 70% power saving

Smooth operation & high air delivery

Consistent speed from 160-280 Volts AC

















Ivory



Consistent Speed from 160-280 Volts

Smooth Operation & High Air Delivery

Power Saving Upto 70%

TECHNICAL SPECIFICATIONS						
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors	
1200	230V	28	350	215	White, Brown,	
1400	230V	33	290	250	lvory	

^{*}Operates with regulator *Also available with remote

PLASMA SLEEKO

ENERGY EFFICIENT "5 STAR" BLDC CEILING FAN

Halonix Plasma Sleeko Stylish Fan, is a sleek fusion of performance and modern design. Featuring 3 uniquely shaped, stylish blades, it adds a touch of elegance to any space while delivering powerful airflow. Packed with smart functionality. Perfect for the contemporary homes.

Key Features

Stylish Aerodynamically Blades

Remote with 6 adjustable Speed Settings

6-LED Light Indication System

Advanced Features Like Boost, Reverse, **Breeze and Smart Modes**

























Matt Black Matt White







TECHNICAL SPECIFICATIONS						
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors	
1200	230V	30	350	210	Matt Brown Matt Black Matt White	

^{*}Also available in wooden blade

PLASMA SPL BLDC CEILING FAN

PLASMA SPL

ENERGY EFFICIENT "5 STAR" BLDC CEILING FAN

Halonix Plasma SPL, decorative Ceiling Fan with elegant trim blades is a unique Zero-Friction technology which saves up to 70% electricity and enhance durability. With the added convenience of a remote control, Plasma SPL ceiling fan is financially and environmentally the smart choice for your dream home.

Key Features


High speed

Wide tip blade for high air delivery

Double ball bearing

Copper wire motor

BIS Approved





















HAL®NIX 32









White

TECHNICAL SPECIFICATIONS							
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors		
1200	230V	30	350	210	Bianco Brown & White		

*Also available in operating with regulator

PLASMA SPL 1

ENERGY EFFICIENT "5 STAR" BLDC CEILING FAN

Halonix Plasma SPL 1- Decorative Ceiling Fan with elegant trim blades is a unique Zero-Friction technology which saves up to 70% electricity and enhance durability by 2X. With the added convenience of a remote control, Plasma SPL 1 ceiling fan is financially and environmentally the smart choice for your dream home.

Key Features


Upto 70% power saving

Smooth operation & high air delivery

Consistent speed from 160-280 Volts AC

All function remote

Copper wire motor

































Consistent Speed from 160-280 Volts





Copper Wire

TECHNICAL SPECIFICATIONS						
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors	
1200	230V	28	350	222	White, Brown,	
1400	230V	35	290	270	lvory	

*Also available in operating with regulator

HAL®NIX 34

FLORAL 6

FLORAL 6

CEILINGFAN

Halonix Floral 6 Decorative BLDC Ceiling Fans with 6 blades is unique zero friction technology save upto 70% electricity and enhance durability by upto 2X. With the added convenience of a remote control, Floral 6 Ceiling Fan is financially and environmentally the smartchoice for your dream home.

Key Features

All function remote

High air delivery

Upto 70% power saving

Double ball bearing

Copper wire motor

Power saving 3 colour led light With dimming option



























Copper Wire Motor

	TECHNICAL SPECIFICATIONS						
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors		
1200	230V	35	325	240	Wooden, White, Smoke Brown Bianco		

*Also available with option of wi-fi

FLORAL

ENERGY EFFICIENT "5 STAR" BLDC CEILING FAN

Halonix Floral Decorative Ceiling Fans with their unique zero-friction technology save upto 70% electricity and enhance durability by upto 2X. With the added convenience of a remote control, Floral Ceiling Fan is financially and environmentally the smart choice for your dream home.

Key Features

Upto 70% power saving


Smooth operation & high air delivery

Consistent speed from 160-280 Volts AC

All function remote

Copper wire motor

Power Saving with 3 Colours LED Light













Power Saving upto 70%




	TECHNICAL SPECIFICATIONS						
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors		
1200	230V	35	310	220	Smoke Brown, Wooden Brown, Wooden Yellow, White & Ivory		

Smoke Brown

Wooden Yellow

White

Ivory



PRIMA CEILINGFAN

Halonix Prima 1 star decorative ceiling fan have superior electroplated finish with high gloss electrophoretic lacquer coating for longer life.

Key Features

High speed

Unique blade design for high air delivery

Double ball bearing

Electroplated fan

Copper wire motor

Copper Colour Plating























TECHNICAL SPECIFICATIONS						
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors	
1200	230V	52	350	210	Antique Copper	

HAL®NIX | 42 *Operating with regulator



BLOOM

CEILINGFAN

Halonix Bloom - 1 star Decorative Ceiling Fans with elegant trim blades comes in dual metallic colour which is designed to match your interiors. Bloom ceiling fan will add sophistication and class to your dream home. It also comes with Anti-Dust & Anti-Rust technology and therefore will be easy to clean as well.


Key Features

Wide tip blade for high air delivery

Power saving upto 30%

Double ball bearing

Copper wire motor

































	TECHNICAL SPECIFICATIONS						
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors		
1200	230V	52	350	210	Copper Brown, White, Ice Blue, Bianco		

BLING STAR

BLING STAR

CEILINGFAN

Halonix Bling Star - 1 star Decorative Ceiling Fans with elegant trim blades are designed to impress with their bold design and unmatched performance. They will add to the glamour of your dream home. Bling Star ceiling fan is a high speed fan.

Key Features

High speed

High air delivery

Power saving upto 30%

Double ball bearing

Copper wire motor

















Smoke Brown



Bianco











	TECHNICAL SPECIFICATIONS						
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors		
1200	230V	50	340	210	Copper Brown, Smoke Brown, White, Bianco		

GLACIO STAR

GLACIO STAR

CEILINGFAN

Halonix Glacio Star - 1 star Decorative Ceiling Fans with elegant trim blades comes in dual metallic colour which is designed to match your interiors. Glacio Star ceiling fan will add sophistication and class to your dream home. It also comes with Anti-Dust & Anti-Rust technology and therefore will be easy to clean as well.


Key Features

Wide tip blade for high air delivery

Power saving upto 30%

Double ball bearing

Copper wire motor

























TECHNICAL SPECIFICATIONS						
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors	
1200	230V	50	340	210	Dark Brown & Ivory	

BLISS STAR

CEILING FAN

Halonix Bliss Star - 1 star Decorative Ceiling Fans with elegant trim blades are perfect blend of beauty and performance. It is a high speed and wide blade fan designed to push air in all corners of your room. It also comes with Anti-Dust & Anti-Rust technology which is easy to clean.

Key Features


High speed

High air delivery

Power saving up to 30%

Double ball bearing

Copper wire motor

















Metallic Blue

Metallic Ivory











TECHNICAL SPECIFICATIONS						
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors	
1200	230V	50	380	210	Black Rose, Metallic Blue, Metallic Ivory	

COOLEX STAR

COOLEX STAR

CEILINGFAN

Halonix Coolex Star - 1 Star Decorative Ceiling Fans are designed to impress with their bold design and unmatched performance. They will add to the glamour of your dream home.

Key Features

High speed


Wide tip blade for high air delivery

Power saving upto 30%


Double ball bearing

Copper wire motor

BIS Approved









IS: 374 CM/L 8800121663









TECHNICAL SPECIFICATIONS						
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors	
1200	230V	50	400	210	Matt Blue, Smoke Brown, Matt Grey, White & Bianco	

*Operating with regulator HAL®NIX | 52

AERO FRESH

AERO FRESH

CEILINGFAN

Halonix Aero Fresh-1 star Ceiling Fan with energy efficient technology save up to 30% electricity and high air delivery and durability. They operate at 400 RPM and ensure superior performance.

Key Features

High speed

High air delivery

Powerful motor

Aero dynamically balanced blades

All metal housing















TECHNICAL SPECIFICATIONS						
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors	
600	230V	65	850	110	Grey, Bianco, White, Brown, Blue	
1200	230V	50	400	210		

ZEPHYR

CEILINGFAN

Halonix Zephyr - 1 Star Ceiling Fan with energy efficient technology save up to 30% electricity, High Air Delivery and Durability. They have robust motor & designed with aerodynamically balanced blades that ensure superior performance.

Key Features

Power saving up to 30%


Smooth operation

High air delivery

Consistent speed from 160 - 280 Volts AC

Double ball bearing

Copper wire motor













٧

White



Consistent Speed Smooth Opration from 160-280 Volts & High Air Delivery



Power Saving up to 30%



Double Ball Bearing

TECHNICAL ST LONG CONTRACTORS						
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors	
900	230V	42	450	130		
900	230V	53	650	165	White, Brown,	
1200	230V	50	340	210	lvory	
1400	230V	60	280	255		

TECHNICAL SPECIFICATIONS

ZEPHYR LX

CEILINGFAN

Halonix Zephyr LX - 3 Star Ceiling Fan with energy efficient technology save up to 44% electricity, High Air Delivery and Durability.

Key Features

Power saving upto 44%

Smooth operation

High air delivery

Consistent speed from 160 - 280 Volts AC

Double ball bearing

Copper wire motor













lvory

White







Power Saving up to 44%



Double Ball

Bearing

Voltage Power Input (Wattage) Air Delivery (CMM) 1200 230V 42 340 245 1400 230V

TECHNICAL SPECIFICATIONS

Colors

White, Brown,

lvory

ZEPHYR 5S

CEILINGFAN

Halonix Zephyr 5S - 5 Star Ceiling Fan with energy efficient technology saves up to 44% electricity, High Air Delivery and Durability

Key Features

Power saving upto 44%


Smooth operation

High air delivery

Consistent speed from 160 - 280 Volts AC

Double ball bearing

Copper wire motor













Consistent Speed Smooth Opration from 160-280 Volts & High Air Delivery AC







Double Ball Bearing	

TECHNICAL SPECIFICATIONS						
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors	
1200	230V	35	350	210	Bianco Brown & White	

SPEEDO - HS

CEILING FAN

Halonix SPEEDO - HS 4 Blade Decorative 600mm ceiling fan with powder coated finish is designed to match your interiors.

Key Features

High speed

Wide tip blade for high air delivery

Powder Coating for longer life

Double ball bearing























	TECHNICAL SPECIFICATIONS					
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors	
600	230V	72	825	110	White, Brown Bianco, Blue	

*Also available in speedo normal

High Speed

HAL®NIX 62

Bianco



















INVERTER FAN UPTO — 10 HRS BACKUP

10 hrs back-up on minimum speed






Key Features

- High speed DC motor & bright LED light
- High air delivery
- Aerodynamically balanced blades
- All function remote
- Full charge indicator

TECHNICAL SPECIFICATIONS							
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors		
300	230 V	20	1600	60	White		

INVERTER **TABLE FAN**





PEDESTAL FAN



















Synchronous Motor for Jerk Free and Smooth Operation

Helion Plus HS Pedestal Fan come with TOP (Thermal Overload Protector) technology, which will save the motor by breaking the circuit if the motor reaches near to burning temerature and will start again once the motor has cooled down.

- Aerodynamically balanced blades
 High speed 2000 RPM
 Sturdy and shockproof body

- Copper wire motor

Key Features

 Synchronous motor for jerk free and smooth operation

	TECHNICAL SPECIFICATIONS						
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors		
400	230 V	95	2000	95	Bianco		

HELION PLUS













Sturdy and Shockproof Body





Pivot Arrangement for Tilting and Operation



TURBON - FARRATA











High Air Velocity

Longer Life

Dynamically Balanced Blades for Smooth Operation

*ALSO AVAILABLE WITH OSCILLATION OPTION

Halonix Helion Plus Pedestal Fans come with TOP (Thermal Overload Protector) technology, which will save the motor by breaking the circuit if the motor reaches near to burning temperature and will start again once the motor has cooled down.	High air delivery	TECHNICAL SPECIFICATIONS							Key Features	TECHNICAL SPECIFICATIONS					
		Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors	Halonix Turbon - Farrata comes with a high air delivery motor design which ensures an optimum performance even at a low AC voltage in case of voltage fluctuations.	Powerful motor design Excellent performance at low Voltage High air velocity Dynamically balanced blades for smooth operation Copper wire motor and powder coated for longer life	Sweep (mm)	Voltage	Power Input (Wattage)	Speed A	Air Delivery (CMM)	Colors
		400	230 V	55	1400	75	White				230 V	150	1400	110	Grey

TURBON HD

PEDESTAL FAN

AIR CIRCULATOR



Excellent Perfomance at Low Voltage







Dynamically Balanced Blades for Smooth Operation



Copper Wire Motor and Powder Coated for



Halonix Turbon HD Pedestal Fans come with a high air delivery Powerful motor design motor design which ensures an optimum performance even at low AC voltage in case of voltage fluctuations. • Excellent performance at low Voltage

Key Features

High air velocity
 Dynamically balanced blades for smooth operation
 Copper wire motor and powder coated for longer life

	TECHNICAL SPECIFICATIONS								
	Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMH)	Colors			
	450	230 V	100	1400	9000				
ı fe	600	230 V	200	1400	16200	Grey / Green			
	750	230 V	250	1400	23000				



oscillation through a separate servo motor.

BULLET PEDESTAL FAN



Powerful motor design

High air velocity

Excellent performance at low Voltage

Dynamically balanced blades for smooth operation
 Copper wire motor and powder coated for longer life



Powerful Motor Design



Excellent Perfomance at Low Voltage



Longer Life

Dynamically Balanced Blades for Smooth

Operation

Copper Wire Motor and Powder Coated for

TECHNICAL SPECIFICATION

	TECHNICAL SPECIFICATIONS								
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors				
400	230 V	120	2000	90	Black, Orange				





WALL FAN



Helion Plus HS Wall Fans come with TOP (Thermal Overload Protector) technology, which will save the motor by breaking the circuit if the motor reaches near to burning temperature and will startagain once the motor has cooled down.

HELION PLUS HS

WALL FAN













Operation

Key Features

- Aerodynamically balanced blades
 High speed 2000 RPM
 Sturdy and shockproof body
 Copper wire motor
 Synchronous motor for jerk free and smooth operation

TECHNICAL SPECIFICATIONS								
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors			
400	230 V	95	2000	95	Diamas			
300	230 V	75	2000	75	Bianco			

Halonix Helion Plus Wall Fans come with TOP (Thermal Overload

Protector) technology, which will save the motor by breaking the circuit if the motor reaches near to burning temperature and will start again once the motor has cooled down.

HELION PLUS

WALL FAN












Sturdy and Shockproof Body





Pivot Arrangement for Tilting and Operation





WALL FAN

AIR CIRCULATOR







Excellent Perfomance



Copper Wire Motor and Powder Coated for Longer Life

Dynamically Balanced Blades for Smooth

Operation

*ALSO AVAILABLE WITH OSCILLATION OPTION

Key Features

- High air delivery
- Sturdy and shockproof body
- Pivot arrangement for tilting and operation

TECHNICAL SPECIFICATIONS Aerodynamically balanced blades Sweep (mm) Power Input (Wattage) Air Delivery Colors Voltage Speed (RPM) (CMM) Copper wire motor 400 230 V 55 1400 White

Halonix Turbon Wall Fan come with a high air delivery motor design which ensures an optimum performance even at low AC voltage in case of voltage fluctuations.

- Powerful motor design • Excellent performance at low Voltage
- High air velocity
- Dynamically balanced blades for smooth operation
 Copper wire motor and powder coated for longer life

TECHNICAL SPECIFICATIONS								
Sweep (mm)	Colors							
450	230 V	100	1400	9000				
600	230 V	200	1400	16200	Grey & Green			
750	230 V	250	1400	23000	- Green			







TURBO BLDC

WALL FAN

AIR CIRCULATOR



Powerful Motor Design



Excellent Perfomance at Low Voltage



Energy Efficient









Colors

Black





KRYPTON









High Air Delivery

Sturdy and Shockproof Body

2000 RPM

Key Features

Copper wire motor
 Rotating grill

Aerodynamically balanced blades
 High air delivery
 Sturdy and shockproof body





TECHNICAL SPECIFICATIONS							
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors		
300	230 V	85	2000	65	White		

Halonix Turbo BLDC is an Energy Efficient Air Circulator Fan comes with high air delivery motor design which ensures an optimum performance even at low AC voltage in case of

voltage fluctuations.

- 1	ey	ге	a	ıuı	re	5
	е			-4	r:	



- High Air Velocity
- Powerful Motor Design

• Energy Efficient, 50% Energy Saving • Low Maintenance Sweep (mm) Power Input (Wattage) Air Delivery Voltage • Excellent Performance At Low Voltage (CMH)

230 V

HAL NIX	75

16200

TECHNICAL SPECIFICATIONS

1400



TYPHOON

WALL FAN

INDUSTRIAL PURPOSE

TECHNICAL SPECIFICATIONS

Power Input



Powerful Motor Design



Excellent Perfomance at Low Voltage



Energy Efficient



Key Features

High Air Velocity

Aerodynamically Metal balanced blades

All Metal Housing
 Excellent Performance At Low Voltage







PLUTO





Aerodynamically Balanced Blades

Powder Coated Metallic Finish



High Durability

TECHNICAL SPECIFICATIONS

Power Input

(Wattage)

Speed (RPM)

2200

2200

Sweep (mm)

300

300

230V

230V



Colors

White

Operation

Halonix Pluto All-Purpose Cabin Fan comes with powder coated Metallic body with PVC blades to cover a large area and helps for your specific requirements of air in places like kitchen, washroom, cabin, balcony and small office spaces.

Key Features

- Aerodynamically balanced bladesSpeed 2200 RPM
- Powder coated Metallic Finish
- High durability
- Noiseless operation
- Powerful motor

Note:	*28W	is in	BLDC	Technology

- *Also available in Metal blade & canopy
- *Also available in Induction motor in PVC Blade

Halonix Typhoon Metal Blade industrial fan comes with high air delivery motor design which ensures an optimum performance even at low AC voltage in case of voltage fluctuations.







Sweep (mm)

HAL@NIX 77

Colors

Air Delivery

(CMM)



Air Delivery

(CMH)

1600

1600

FLOURON EX





Excellent Perfomance at Low Voltage



Operation









TABLE FAN

Halonix Flouron EX Personal Fans are designed for multiple needs of your day to day life. Halonix Flouron EX Fan can be used as Floor-Table-Wall fan with different choice of speeds for your different requirements.

Key Features **TECHNICAL SPECIFICATIONS** Powerful motor design • Excellent performance at low Voltage Power Input (Wattage) Air Delivery Colors Speed (RPM) • High air velocity Dynamically balanced blades for smooth operation Grey Copper wire motor and powder coated for longer life 230 V 1900

HAL®NIX 79

HELION PLUS HS

TABLE FAN





Helion Plus HS Table Fan come with TOP (Thermal Overload Protector) technology, which will save the motor by breaking the circuit if the motor reches near to burning temerature and will start again once the motor has cooled down.

Key Features Aerodynamically balanced blades High speed 2000 RPM Sturdy and shockproof body Copper wire motor Synchronous motor for jerk free and

smooth operation

TECHNICAL SI ECHICATIONS							
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors		
400	230 V	95	2000	95	Bianco		

TECHNICAL SPECIFICATIONS

Halonix Helion Plus Table Fans come with TOP (Thermal Overload Protector) technology, which will save the motor by breaking the circuit if the motor reaches near to burning temperature and will start again once the motor has cooled down.

HELION PLUS







Sturdy and Shockproof Body



Key Features

Aerodynamically balanced blades
 High air delivery
 Sturdy and shockproof body

- Copper wire motor
- Pivot arrangement for tilting and operation

TECHNICAL SPECIFICATIONS							
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMM)	Colors		
400	230 V	55	1400	75	White & Blue		

HAL@NIX 81





EXHAUST FAN



Halonix Krypton HS Exhaust Fans have a robust construction and are











Key Features designed for high speed ventilation with bird guard to protect the fans in running operation.

- High speed air ventilation
- Specially designed metal blades
 Powder coated metallic finish

- 10	wacı	coutcui
• Hi	gh du	rability

TECHNICAL SPECIFICATIONS									
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMH)	Colors				
150	230 V	60	2400	400	Metallic Grey				
230	230 V	65	2400	1050	Metallic Grey				
300	230 V	95	2400	1600	Metallic Grey				







KRYPTON





High Speed Air Ventilation



Specially Designed Metal Blades



Powder Coated Metallic Finish



High Durability





EXHAUST FAN











Halonix Krypton DBB Exhaust Fans are low on maintenance and high on efficiency. Equipped with an automatic shutter for dust and bug protection, the fans ensure not just optimum performance but also silent operation.

Key Features

2 YEARS

- Noiseless operation
 High speed air ventilation
 Powder coated metallic finish blades
- Double ball bearing
 High durability

TECHNICAL SPECIFICATIONS					
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMH)	Colors
230	230 V	45	1400	750	Metallic Grey
300	230 V	70	1400	1600	Metallic Grey



Key Features

- High speed air ventilation
- Specially designed metal blades
 Powder coated metallic finish
- High durability

	TECHNICAL SPECIFICATIONS				
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMH)	Colors
230	230 V	40	1400	750	Metallic Grey
300	230 V	50	1400	1050	metallic die







KRYPTON HDEF





High Speed Air Ventilation



Specially Designed Metal Blades



Powder Coated Metallic Finish



High Durability

Halonix Krypton Heavy Duty Exhaust Fans have a robust construction and ensure high durability with bird guard to protect the fan in running condition.

Key Features

YEARS WARRANTY

- High speed air ventilation
 Specially designed metal blades
 Powder coated metallic finish
 High durability

TECHNICAL SPECIFICATIONS					
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMH)	Colors
300	230 V	55	900	1145	
380	230 V	100	900	2000	
450	230 V	145	900	3900	Metallic Gre
380	230 V	160	1400	3250	
450	230 V	410	1400	6120	





HELION DX













Properties





Key Features

Automatic shutter for dust protection

HAL@NIX

- High quality engineering plastic
 Anti-static properties
 Silent operation
 Light & dust proof body for durability

TECHNICAL SPECIFICATIONS						
Sweep (mm)	Voltage	Power Input (Wattage)	Speed (RPM)	Air Delivery (CMH)	Colors	
150	230V	27	1350	275		
200	230V	30	1350	450	White	
250	230V	35	1200	900		

HAL®NIX 87







Halonix Helion Exhaust Fans are low on maintenance and high on

efficiency. Robust motor for continous running of the fan, the fans are

undeniably light and ensure silent operation.



Key Features

Silent operation

Aerodynamically balanced blades

High quality engineering plasticAnti-static properties

• Light & dust proof body for durability













Silent Operation

Properties

TECHNICAL SPECIFICATIONS Sweep Voltage **Power Input** Air Delivery Colors (mm) (Wattage) (CMH) 100 230 V 2400 150 Bianco 230 V 1750



PAN INDIA SALES & SERVICE **TEAM NETWORK**



CORPORATE OFFICE
Halonix Technologies Pvt. Ltd., B - 31, Phase-2, Noida, (U.P.) - 201305. Tel: +91 - 120 - 4756100, Fax: +91 - 120 - 4756101

EAST - Halonix Technologies Pvt. Ltd., 67B Ballygunge Circular Road, Ballygunge Park Tower, 9th Floor, Kolkata - 700019, Tel: +91 - 033 - 40081849

WEST - Halonix Technologies Pvt. Ltd., The Affairs Office No. 1402, 14th floor Plot No. 9, Sector 17, Sanpada Navi Mumbai, Thane - 400705 Tel: +91 - 022 - 35120050

SOUTH - Halonix Technologies Pvt. Ltd., No.6, "Legacy" 1st Floor, Convent Road, Richmond Town, Bengaluru - 560025, Tel: +91 - 080 - 41125296

MANUFACTURING UNIT - Halonix Technologies Pvt. Ltd., Plot No.5, Sector 12, IIE SIDCUL, Haridwar, Uttarakhand - 249403

For more information/customer feedback contact customer service executive Toll Free No.: 1800-103-6564 | E-mail: customercare@halonix.co.in | Website: www.halonix.co.in

Terms & Conditions:

- 1. All dimensions are in 'mm'.
- 2. Tolerance in electrical & performance parameters as per relevant Indian Standard (IS).
- 3. The image depicted in the catalogue may vary from actual product.
- 4. As improvement in design and method of manufacturing is a continuos process, the product supplied may differ in details from given data.
- 5. The technical parameter may change with continuous improvement and validation of product.
- 6. Due to continuous efforts in developing products improvement, M/s. Halonix Technologies Private Limited reserves the right to make any changes in the design and data and withdraw the fan products without any prior notice.